



TEKNIKS[®]
FITNESS

International Fitness Equipment Company

Tekniks Fitness Equipments Pvt. Ltd.

+91-0-7373485656

www.teknikfitness.com

sales@teknikfitness.com



Available on :



ABOUT US

Tekniks Fitness International is a leading gym equipment manufacturing company that specializes in producing high-quality fitness machines. The company was founded in 2020 with the goal of providing fitness enthusiasts with innovative and effective equipment to help them achieve their fitness goals. At Tekniks Fitness International, we believe that fitness should be accessible to everyone, which is why we take great pride in creating equipment that is both effective and affordable.

Our team of highly skilled engineers and designers work tirelessly to ensure that every piece of equipment we produce meets the highest standards of quality and performance. One of the key factors that sets Tekniks Fitness International apart from other gym equipment manufacturers is our unwavering commitment to biomechanics.

We understand that proper form is essential to getting the most out of your workout, which is why we design our machines to promote correct movement patterns and muscle activation. We are also proud to be an ISO 9001:2015 Certified company, which means that we adhere to strict quality management standards in all aspects of our business. From the design and manufacture of our equipment to our customer service and support, we are dedicated to providing our clients with the best possible experience.

Tekniks Fitness International is led by a team of experienced directors, including Mr. Avinash Dhanve, Mr. Kunal Keskar, and Mr. Padmanabh Jadhav. Each of our directors brings a unique set of skills and expertise to the company, and they are committed to upholding our core values of quality, innovation, and customer satisfaction. Thank you for considering Tekniks Fitness International for your fitness equipment needs. We look forward to helping you achieve your fitness goals with our state-of-the-art machines.

INDEX

	PAGE NO
• CHEST _____	4-10
• LEGS _____	11-23
• ARMS _____	24-27
• SHOULDERS _____	28-30
• BACK _____	31-37
• ABDOMINAL _____	38-39
• MULTICABLE STATION _____	40-47
• RACKS AND RIGS _____	48-52
• COMMERTIAL PLATFORMS_____	53-54
• BENCHES AND STANDS _____	55-66
• DUMBBELLS,WEIGTH PLATES,BARBELLS _____	67-76
• CROSSFIT _____	77-83
• ACCESSORIES _____	84-88
• MAG GRIPS _____	89-90
• CARDIO _____	91-114
• OUR CUSTOMERS _____	115

CHEST

TFC-101

REAR DELTOIDE PEC FLY



Specification:

Size : L x W x H : 2.25 X 6.3 X 4.5 FT

Weight : 230 KGs

Weight Stack –100Kgs

TFC-102

MULTI PRESS COMBO MACHINE



Specification :

: Size : L x W x H : 6.9 X 4.6 X 5.8 FT

Weight : 230 KGs

Weight Stack –100Kgs

TFC-103

VERTICAL CHEST PRESS



Specification :
Size : L x W x H : 4.4 x 6.3 x 5.7 FT
Weight : 230 KGs

TFC-104

DUAL AXIS FLAT CHEST PRESS



Specification :
Size : L x W x H : 5 x5 4.5 x 3.4 FT
Weight : 230 KGs

TFC-105

DUAL AXIS INLCINE CHEST PRESS



Specification

Size : LxWxH:5.5 X 4.5 X 3.95 FT

Weight : 150 KGs

TFC-106

INCLINE CHEST FLY



Specification:

Size : L x W x H : 3.2 X 2.5X 5 FT

Weight : 145 KG

TFC-107

OLYMPIC INCLINE BENCH



Specification

Size : LxWxH: - 4.5 X 6 X 5.5 FT

Weight : KGs

TFC-108

OLYMPIC DECLINE BENCH



Specification

Size : LxWxH: 6.6 X 6.4 X 3.8 FT

Weight : KGs

TFC-109

OLYMPIC FLAT BENCH



Specification

Size : LxWxH: 6.6 X 6.4 X 3.8 FT

Weight : KGs

TFC-110

ISOLATERAL STANDING CHEST PRESS



Specification

Size : LxWxH: 5.0 X 4.2 X 5.7 FT

Weight : KGs

TFC-111

OLYMPIC IDFO BENCH

(INCLINE, DECLINE, FLAT, AND OVERHEAD)



Specification

Size : LxWxH: 6.3 X 5.5 X 4.2 FT

Weight : KGs



TEKNIKS
FITNESS

LEGS

TFL-201

35 DEGREE LEG PRESS



Specification

Size : LxWxH: 8.7 X 5.9 X 6.3 FT
Weight : KGs

TFL-202

ISO-LATERAL 35 DEGREE LEG PRESS



Specification

Size : LxWxH: 8.7 X 5.9 X 6.3 FT
Weight : KGs



TFL-203

45 DEGREE PIVOTE LEG PRESS



Specification

Size : LxWxH: 8.7 X 5.9 X 6.3 FT

Weight : KGs

TFL-204

VERTICAL LEG PRESS



Specification

Size : LxWxH: 5.7 x 6.2 x 6.6 FT

Weight : KGs

TFL-205

35 DEGREE HACK SQUAT MACHINE



Specification

Size : LxWxH: 87.5 X 5.9 X 4.0 FT

Weight : KGs

TFL-206

PENDULUM SQUAT MACHINE



Specification

Size : LxWxH: 7.5 X 5.9 X 5.8 FT

Weight : KGs

TFL-207

POWER V SQUAT MACHINE



Specification

Size : LxWxH: 6.5 X 4.8 X 5.1 FT

Weight : KGs

TFL-208

BELT SQUAT MACHINE



Specification

Size : LxWxH: 5.8 X 4.3 X 7.0 FT

Weight : KGs

TFL-209

LYING LEG CURL



Specification
Size : LxWxH: 6.0 X 3.0 X 5.0 FT
Weight : KGs
Weight Stack : 100KGS

TFL-210

SEATED LEG EXTENSION



Specification
Size : LxWxH: 5.2 X 3.6 X 5.0 FT
Weight : KGs
Weight Stack : 100KGS

TFL-211

SEATED LEG EXTENSION AND LEG CURL COMBO



Specification

Size : LxWxH: 4.7 X 3.9 X 5.8 FT

Weight : KGs

Weight Stack : 100KGS

TFL-212

ABDUCTOR ADDUCTOR MACHINE



Specification

Size : LxWxH: 4.6 X 2.3 X 5.6 FT

Weight : KGs

Weight Stack : 100KGS

TFL-213

SEATED CALF MACHINE



Specification

Size : LxWxH: 4.8 X 2.6 X 3.0 FT

Weight : KGs

TFL-214

STANDING CALF MACHINE



Specification

Size : LxWxH: 5.5 X 3.3 X 6.7 FT

Weight : KGs

Weight Stack : 100KGS

TFL-215

DONKEY CALF MACHINE



Specification

Size : LxWxH: 6.3 X 3.0 X 6.3 FT

Weight : KGs

Weight Stack : 100KGS

TFL-216

INVERSE CURL MACHINE



Specification

Size : LxWxH: 5.7 X 6.3 X 5.3 FT

Weight : KGs

TFL-217

PLATE LOADED GLUTE KICK BACK MACHINE



Specification

Size : LxWxH: 4.3 X 4.3 X 4.4 FT

Weight : KGs

TFL-218

ISO LATERAL STANDING LEG CURL



Specification

Size : LxWxH: 4.8 X 2.2 X 5.6 FT

Weight : KGs

TFL-219

ISO LATERAL LEG EXTENSION




Specification

Size : LxWxH: 5.5 X 6.1 X 3.7FT

Weight : KGs

TFL-220

GLUT HAMM DEVELOPER MACHINE



Specification

Size : LxWxH: 6.8 X 3.1 X 4.3 FT

Weight : KGs

TFL-221

REVERSE HYPER MACHINE



Specification

Size : LxWxH: 4.5 X 5.7 X 4.0 FT

Weight : KGs

FREEKUS
FITNESS



TFL-222

POWER RUNNER MACHINE



TFL-223

HIP THRUST MACHINE



W
E
B
S
I
T
E

Specification

Size : LxWxH: 6.3 X 4.7 X 3.0

Weight : KGs



ARMS

TFA-301

BICEP CURL MACHINE



Specification

Size : LxWxH: 4.6 X 2.4 X 5.6 FT

Weight : KGs

Weight Stack : 100KGS

TFA-302

PRECHER BENCH



Specification

Size : LxWxH: 4.9 X 2.6 X 3.1 FT

Weight : KGs

TFA-303

TRICEPS DIPS BENCH



Specification

Size : LxWxH: 3.6 X 2.3 X 3.9 FT

Weight : KGs

TFA-304

WHRIST CURL MACHINE



Specification

Size : LxWxH: 2.0 X 2.5 X 3.7 FT

Weight : KGs

Weight Stack : 50KGS

TFA-305

360 TRICEP DIP MACHINE



Specification

Size : LxWxH: 6.6 X 3.3 X 3.9 FT

Weight : KGs



TEKNIKS
FITNESS

SHOULDERS

TFS-401

ISO LATERAL SHOULDER PRESS



Specification

Size : Lx W x H: 3.9 X 3.8 X 4.3 FT
Weight : KGs

TFS-402

STANDING LATERAL RAISES



Specification

Size : Lx W x H: 4.2 X 2.3 X 5.2 FT
Weight : KGs
Weight Stack : 100 KGs

TFS-403

VIKING PRESS MACHINE



Specification

Size : Lx W x H: 4 .7 X 4.2 X 6.3 FT
Weight : KGs

TFS-404

PLATE LOADED LATERAL RAISES



Specification

Size : Lx W x H: 4 .7 X 4.2 X 6.3 FT
Weight : KGs

BACK

TFB-501

T BAR ROW MACHINE



Specification

Size : Lx W x H: 5.5 X 3.4 X 1.7 FT

Weight : KGs

TFB-502

LEVER ROW BENCH



Specification

Size : Lx W x H: 6.0 X 3.0 X 4.4 FT

Weight : KGs

TFB-503

BACK EXTENSION



Specification

Size : Lx W x H: 4.4 X 2.8 X 4.3 FT

Weight : KGs

TFB-504

ISOLATERAL LOW ROW



Specification

Size : Lx W x H: 3.9 X 5.2 X 5.5 FT

Weight : KGs



FREEZES
STRENGTH

TFB-505

LONG PULL ROW



Specification
Size : Lx W x H: 7.2 X 2.5 X 7.4 FT
Weight : KGs
Weight Stack : 100 KGs

TFB-506

LAT PULL DOWN



Specification
Size : Lx W x H: 4.9 X 2.5 X 7.4 FT
Weight : KGs
Weight Stack : 100 KGs

TFB-507

LAT PULL DOWN WITH ROWING



Specification

Size : Lx W x H: 7.2 X 2.5 X 7.4 FT

Weight : KGs

Weight Stack : 100 KGs

TFB-508

INCLINE LOADED LEVER ROW



Specification

Size : Lx W x H: 5.7 X 3.3 X 4.1 FT

Weight : KGs

TFB-509

ANIMAL LATERAL ROW



Specification
Size : Lx W x H: 5.6 X 5.7 X 4.6 FT
Weight : KGs

TFB-510

REVERSE LAT PULL DOWN



Specification
Size : Lx W x H: 5.5 X 4.0 X7.3 FT
Weight : KGs

TFB-511

ASSISTED DIP CHIN



Specification

Size : Lx W x H: 3.9 X 3.7 X 7.3 FT

Weight : KGs

Weight Stack : 100 KGs



TEKNIKS
FITNESS

ABDOMINAL

TFAB-599

ABS CRUSH MACHINE



Specification

Size : Lx W x H: 4.2 X 5.8 X 3.7 FT

Weight : KGs

Weight Stack : 100 KGs




TEKNIKS
FITNESS

MULTICABLE STATION

TFMS-601

THREE STATION



LAT PULL DOWN
LONG PULL ROW
HI-LOW PULLEY

Specification

Size : Lx W x H: 11.6 X 4.8 X 7.3 FT
Weight : KGs
Weight Stack : 100 KGs

TFMS-602

FOUR STATION



LAT PULL DOWN
LONG PULL ROW
HI-LOW PULLEY
HI-LOW PULLEY

Specification

Size : Lx W x H: 11.6 X 5.1 X 7.3 FT
Weight : KGs
Weight Stack : 100 KGs



TFMS-603

SIX STATION

SINGLE CABLE

LAT PULL DOWN
LONG PULL ROW
HI-LOW PULLEY



Specification

Size : Lx W x H: 10.9 X 13.5 X 7.3 FT
Weight : KGs
Weight Stack : 100 KGs

DUAL CABLE

LAT PULL DOWN
LONG PULL ROW
HI-LOW PULLEY



TFMS-604

EIGHT STATION

SINGLE CABLE

LAT PULL DOWN
LONG PULL ROW
HI-LOW PULLEY
HI-LOW PULLEY

DUAL CABLE

LAT PULL DOWN
LONG PULL ROW
HI-LOW PULLEY
HI-LOW PULLEY



Specification


Size : Lx W x H: 16.7 X 4.8 X 7.3 FT

Weight : KGs

Weight Stack : 100 KGs

TFMS-605

CABLE CROSS OVER



Specification
Size : Lx W x H: 3.1 X 5.7 X 7.3 FT
Weight : 300 KGs
Weight Stack : 100 KGs

TFMS-606

LONG CABLE CROSS OVER



Specification
Size : Lx W x H: 12.6 X 2.4 X 7.4 FT
Weight : KGs
Weight Stack : 100 KGs

TFMS-607

BASSAULT TRAINING TOWER 1.0

CABLE CROSS OVER
SQUAT RACK



Specification
Size : Lx W x H: 6.1 X 6.4 X 7.3 FT
Weight : KGs
Weight Stack : 100 KGs

TFMS-608

BASSAULT TRAINING TOWER 2.0

CABLE CROSS OVER
SMITH MACHINE
SQUAT RACK



Specification
Size : LxWxH: 6.1 X 6.4 X 7.3 FT
Weight : KGs
Weight Stack : 100KGs

TFMS-609

BASSAULT TRAINING TOWER 3.0

CABLE CROSS OVER
ARMOUR 2.0 RACK



Specification
Size : LxWxH: 6.6 X 7.2 X 7.4 FT
Weight : 400 KGs
Weight Stack : 100 KGs

TFMS-610

HI LOW PULLEY



Specification
Size : LxWxH: 3.0 X 7.2 X 3.0 FT
Weight : KGs
Weight Stack : 100 KGs



TFMS-611

HI-LOW PULLEY WITH LAT PULL DOWN ATTACHMENT



Specification

Size : LxWxH: 3.3 X 3 X 7.2 FT

Weight : KGs

Weight Stack : 100 KGs



TEKNIKS
FITNESS

RACKS AND RIGS

TFRR-701

POWERSTATION



Specification
Size : LxWxH: 6.4 X 6.2 X 7.7 FT
Weight : KGs

TFRR-702

SQUAT RACK WITH JCUP,SPOTTER ARMS



Specification
Size : LxWxH: 5.7 X 3.8 X 7.5 FT
Weight : KGs



TFRR-703

**SQUAT RACK WITH BOTH SIDE
J CUPS WITH SPOTER ARMS**



Specification
Size : LxWxH: 5.7 X 3.8 X 7.5 FT
Weight : KGs

TFRR-704

BASIC SMITH MACHINE



Specification
Size : LxWxH: 5.6 X 7.2 X 7.6 FT
Weight : KGs



TFRR-705

3D SMITH MACHINE



Specification
Size : LxWxH: 5.3 X 7.0 X 7.5
Weight : KGs

TFRR-706

ARYAN ARMOUR 2.0 POWER RACK



Specification
Size : LxWxH: 8.1 X 6.3 X 7.5 FT
Weight : KGs



TEKNIKE FITNESS

TFRR-707

BLACK PANTHER RELOADED CAGE

- 2 SQUAT RACKS
- 2 ACCESORRIES RACK
- ARMOUR 2.0 POWER RACK
- BUMPER PLATE RACK



Specification

Size : LxWxH: 22.1 X 6.3 X 7.5 FT
Weight : KGs

NORWAY -
MRP -
DISCOUNTED
FINLAND
MRP -
DISCOUNTED

TFRR-708

SMITH MACHINE WITH SQUAT RACK



Specification

Size : LxWxH: 6.6 X 7.2 X 7.4 FT

Weight : KGs

Weight Stack : 100 KGs




TEKNIKS
FITNESS

COMMERCIAL PLATFORMS

TFCP-801

DEADLIFT PLATFORM

Thickness Available in 50mm and 100MM



Sizes

- 1.Weight Lifting Platform 9ft x 5 ft
- 2.Commercial Deadlift Platform 4 ft x 10 ft

TFCP-802

DEADSQUAT PLATFORM

Thickness Available in 50mm and 100MM



Size: 7.20ft X 10ft



BENCHES AND STANDS

TFBS-901

ADJUSTABLE SUPER BENCH

DEGREE MAINTAINED



Specification

Size : LxWxH: 5.0 X 1.7 X 1.8

Weight : KGs

TFBS-902

ZERO GAP ADJUSTABLE SUPER BENCH

DEGREE MAINTAINED



Specification

Size : LxWxH: 4.7 X 1.7 1.5

Weight : KGs

TFBS-902

FLAT BENCH WITH BAR HOOK



Specification

Size : LxWxH: 4.7 X 1.7 1.5
Weight : KGs

TFBS-903

UTILITY BENCH



Specification

Size : LxWxH: 3.7 X 2.7 X 3.1
Weight : KGs

TFBS-904

ABDOMINAL BENCH



Specification

Size : LxWxH: 5.5 X 2.6 X 3.1 FT

Weight : KGs

TFBS-905

SISSY SQUAT ABS CRUSH COMBO



Specification

Size : LxWxH: 4.9 X 2.1 X 1.6 FT

Weight : KGs

TFBS-906

NORDIC BENCH

DEGREE MAINTAINED



Specification

Size : LxWxH: 5.2 X 1.8 X 1.8
Weight : KGs

TFBS-907

VERTICAL KNEE UP




Specification

Size : LxWxH: 3.4 X 2.7 X 5.2 FT
Weight : KGs

TFBS-908

TIBIA TRAINER



Specification

Size : LxWxH: 1.5 X 1.1 X 2.8 FT

Weight : KGs

TFBS-909

KICK BACK ROW BENCH



Specification

Size : LxWxH: 4.1 X 2.4 X 2.4 FT

Weight : KGs

TFBS-910

BIG THREE TIER ACCESSORIES RACK



Specification

Size : LxWxH: 4.1 X 3.0 X 5.0 FT

Weight : KGs

TFBS-911

SMALL THREE TIER ACCESSORIES RACK



TFBS-912

BARBELL STAND



Specification

Size : LxWxH: 2.4 X 1.5 X 0.8 FT

Weight : KGs

TFBS-913

PLATE STAND



Specification


Size : LxWxH: 4.0 X 1.7 X 3.3 FT

Weight : KGs



TFBS-914

TWO TIER DUMBBELLS RACK




Specification

Size : LxWxH: 7.9 X 2.7 X 3.4
Weight : KGs

TFBS-915

THREE TIER DUMBBELLS RACK



Specification

Size : LxWxH: 7.9 X 2.7 X 3.4
Weight : KGs



TFBS-916

SINGLE TWISTER



TFBS-917

DOUBLE TWISTER



TFBS-918

BUMPER PLATE STANDS



TEKNIKS
FITNESS

DUMBBELLS AND WEIGHT PLATES

TFD-1001

NITRILE ROUND RUBBERIZED DUMBBELLS



AVAILABLE SIZES

2.5KG	22.5KG
5KG	25KG
7.5KG	27.5KG
10KG	30KG
12.5KG	35KG
15KG	40KG
17.5KG	45KG
20KG	50KG

NOTE: ABOVE 50 KG DUMBBELLS SIZES
ARE AVAILBLE IN STEEL DUMBBELLS



STRENGTH
TRAINING
EQUIPMENT

TFD-1002

HEXAGONAL RUBBERIZED DUMBBELLS



AVAILABLE SIZES

2.5KG	15KG
5KG	17.5KG
7.5KG	20KG
10KG	22.5KG
12.5KG	30KG
	35KG

TFD-1003

URATHANE DUMBBELLS



(2.5X,5X2,7.5X2,10X2,12.5X12,15X1,17.5X1,20X1,22.5X1,
25X1,27.5X1,30X1,35X1,40X1,45X1,50X1)Each
Pair

TFD-1004

STELL DUMBBELLS



(2.5X,5X2,7.5X2,10X2,12.5X12,15X1,17.5X1,20X1,22.5X1,
25X1,27.5X1,30X1,35X1,40X1,45X1,50X1)Each
Pair



TRIKINER
FITNESS

TFD-1005

RUBBER DUMBBELLS



TEKNIKS
FITNESS

(2.5X,5X2,7.5X2,10X2,12.5X12,15X1,17.5X1,20X1,22.5X1,
25X1,27.5X1,30X1,35X1,40X1,45X1,50X1)Each
Pair

TFD-1006

KETTLE BELL



Available Sizes -2,4,6,8,10,12,14,16,18,20,22,24,26,28,30,32 KG

TFD-1007

URATHAN PLATES



AVAILABLE SIZES
2.5 KG , 5 KG , 10KG , 15KG , 20KG



TFD-1008

NITRILE OLYMPIC WEIGHT PLATES



AVAILABLE SIZES

2.5 KG , 5 KG , 10KG , 15KG , 20KG



TFD-1009

RUBBERIZED OLYMPIC WEIGHT PLATES



AVAILABLE SIZES

2.5 KG , 5 KG , 7.5KG, 10KG , 15KG , 20KG, 25KG

TFD-1010

CASTING OLYMPIC WEIGTH PLATE



AVAILABLE SIZES
2.5 KG , 5 KG , 10KG , 15KG , 20KG



TFD-1011

STEEL OLYMPIC WEIGTH PLATES



AVAILABLE SIZES
2.5 KG , 5 KG , 10KG , 15KG , 20KG

TFD-1012

COLOURED BUMPER PLATES



AVAILABLE SIZES - 5Kg, 10Kg,15Kg,20Kg,25Kg



TFD-1013

BLACK BUMPER PLATES




AVAILABLE SIZES - 5Kg, 10Kg,15Kg,20Kg,25Kg

FEIKINS FITNESS

TFD-1014 7Feet Barebell



TFD-1015 5Feet Barebell



TFD-1016 4Feet Barebell



TFD-1017

EZ Barbell



TFD-1018

Hex Barbell



TFD-1019

Hammer Curl Barbell



TEKNIKS
FITNESS



CROSSFIT

TFCF-2001

DOMINATOR POWER BENCH



Specification
Size : LxWxH:
Weight : KGs

TFCF-2002

FARMER WALK



Specification
Size : LxWxH:
Weight : KGs



TFCF-2003

STRONGMAN POWERSLED



Specification
Size : LxWxH:
Weight : KGs

TFCF-2004

YOKES 2.0



Specification
Size : LxWxH:
Weight : KGs



STRONGMAN
EQUIPMENT

TFCF-2005

CROSSFIT RACK 4..4



Specification

Size : LxWxH:

Weight : KGs



TEKNIKE

TFCF-2006

CROSSFIT RACK 2.1



Specification
Size : LxWxH:
Weight : KGs



TFCF-2007

CROSSFIT 360



Specification

Size : LxWxH:

Weight : KGs



TFCF-2008

SWEDISH LADDER



Specification

Size : LxWxH: 3.8 x 1.15 x 7.6 FT

Weight : KGs



TEKNIKS
FITNESS

ACCESSORIES

TFAC-3001



STEEL PUSHUP STAND

TFAC-3002



WOODEN PUSHUP STAND

TFAC-3003



BOX PULLDOWN HANDLE

TFAC-3004



GLUTE GLIDER

TFAC-3005



BRUNO BAR

TFAC-3006



CHROME DUAL CABLE HANDLE

TFAC-3007



REVERSE LAT PULL DOWN HANDLE

TFAC-3008



VIKING PRESS HANDLE

TFAC-3009



TRICEP FLAT HANDLE

TFAC-3010



BENT OVER STAND

TFAC-3011



ACCESSORIES HANGER

TFAC-3012



BARBELL LOCK

TFAC-3013



TRICEP METAL ROPE

TFAC-3014



LPD ROW HANDLE

TFAC-3015



SQUAT WEDGES

TFAC-3016

DEADLIFT JACK



TFAC-3017

TPD ROW HANDLE




TFAC-3018



V REVOLVING TRICPE HANDLE

TFAC-3019



STRAIGHT REVOLVING HANDLE

TFAC-3020



ROW HANDLE



TFAC-3021

CADILLAC BAR



TFAC-3022

WEIGHT RELEASER



TFAC-3023

ADJUSTABLE KETTLEBELL

MAG GRIPS



**SHORT NEUTRAL
GRIP**

TFMG-4001



**SHORT PRONATE
GRIP**

TFMG-4003



**SHORT SUPINE
GRIP**

TFMG-4005



WIDE NEUTRAL GRIP

TFMG-4002



**WIDE PRONATE
GRIP**

TFMG-4004



**WIDE SUPINE
GRIP**

TFMG-4006



CARDIO



AF 106 MAX Motorized Treadmill

Specifications

Dimension : 87" (L) x 39" (W) x 69" (H)

Motor (Peak) : AC Motor, 5.0 HP continuous duty, 10.0 hp peak duty

Display : 27" Touch screen with 1920x1080 HD resolution display

Readouts : Distance, Calories, Incline, Speed, Time, Pulse & METs

Programs : Built-in 24 motivating programs and intelligence speed control

Features:

- Supports Wi-Fi connection and web browsing
- 24 motivating programs
- Short circuit and comprehensive protection function
- Unique -3% declinable deck
- Cordless mobile charger
- Large sized twin cup holder with a built-in tray
- Sweat proof console design
- Equipped with an automatic lubrication system

Speed : 1 to 25 kmph

Elevation : -3% – 18% level

Running Surface : 67" (L) x 25" (W).

Max. User Weight : 200 kg

Material

- Heavy duty steel base with double cell neoprene rubber system
- 2 ply commercial grade German siegling running belt

AF 106 Motorized Treadmill



Specifications

Dimension : 87" (L) x 39" (W) x 69" (H)

Motor (Peak) : AC Motor, 5.0 HP continuous duty, 10.0 hp peak duty

Display : 7 window bright LED display

Readouts : Distance, Calories, Incline, Speed, Time, Pulse & METs

Programs : Built-in 24 motivating programs and intelligence speed control

Features:

- 24 motivating programs
- Short circuit and comprehensive protection function
- Unique -3% declinable deck
- Cordless mobile charger
- Large sized twin cup holder with a built-in tray
- Sweat proof console design
- Equipped with an automatic lubrication system

Speed : 1 to 25 kmph

Elevation : -3% – 18% level

Running Surface : 67" (L) x 25" (W).

Max. User Weight : 200 kg

Material

- Heavy duty steel base with double cell neoprene rubber system
- 2 ply commercial grade German siegling running belt



AF 105TFT Motorized Treadmill

Specifications

Dimension : 82" (L) x 36" (W) x 64" (H)

Motor : AC Motor, 5 HP Continuous Duty, 10 HP Peak Duty

Display : 21.5" Touch screen with 1920×1080 HD resolution display

Readouts : Distance, Calories, Incline, Speed, Time, Pulse & METs

Programs : Built-in 32 motivating programs, USER-5 and HRC

Features:

- Supports Wi-Fi connection, Bluetooth and Web browsing
- 8 Vision programs
- Large sized twin cup holder with a built-in tray
- Sweat proof console design

Speed : 0.8 to 22 kmph

Elevation : 0% – 15% level

Running Surface : 63" (L) x 22" (W).

Max. User Weight: 180 kg

Material

- a• 2 ply commercial grade German Siegling running belt.

AF 105 Motorized Treadmill

Specifications

Dimension : 82"(L) x 35"(W) x 64"(H).

Motor : AC Motor, 5 HP continuous duty, 8.0 HP peak duty.

Speed : 0.8 to 22 Kmph.

Elevation : 0% to 15% Incline

Running Surface : 63" (L) x 22" (W).

Programs : 12 Pre-Set Programs & 1 Manual.

Display : LED two Window Display.

Power Requirements : 220V AC.

Max User Weight : 200 Kgs.





AF220 Curve Treadmill

Specifications

- Dimensions: 80" (L) X 34" (W) X 60" (H)
- Running Surface: 66"(L) X 19" (W)
- Running Belt Type: Individual Slats High Quality Rubber Slats.
- Drive System: 124 Precision Ball Bearings.
- Drive Motor: Self Propelled.
- Display Feedback: Counting of Time, Distance, Calories & Speed.
- Mode/Set Option: Yes, Time Distance and Calorie Can be set as per user Requirement.
- Power Requirement: No Power Required.
- Max User Weight: 180 Kgs.



AF 2040B Stair Climber

Specifications

- Dimension: 58" (L) x 35" (W) x 85" (H).
- Step area: 10" (L) x 22" (W)
- Maximum speed: 120 steps per minute.
- Max load weight: 200 kg.



AF 1040B Stair Climber

Specifications

- Dimension: 56" (L) x 31" (W) x 77" (H).
- Step area: 9" (L) x 22" (W)
- Maximum speed: 164 steps per minute.
- Max load weight: 160 kg.
- Safety button: Stop button in right handle for emergency stop.
- Power Requirements: 220V AC.



AF 150 High Legs Lift

Specifications

Dimensions: 68" (L) x 27" (W) x 65" (H)

Display: Backlit LCD display

Display feedback: Time, Count, Distance, Calories, SPM.

Movements Patterns: 1-5 gears resistance adjustment

Resistance Technology: Magnet resistance
Distance, Time & Calories can be set as per user requirement

Drive Mode: Up and down with swing arm type

Handlebar design: Multi-position handlebar

Pedals: Self-levelling with quick-release strap

Max User Weight: 180kg



AF 142 EL Elliptical Cross Trainer – (NS)

Specifications

- Dimension: 84" (L) X 30"(W) X 71"(H)
- Strides: 20 Inches natural strides.
- Resistance Level: 16 Levels.
- Strides Wheel: Dual wheel track, fiberglass-reinforced nylon wheel with high-quality bearing.
- User Weight: 200 Kgs.



Aerofit Elliptical Cross Trainer

- * Dimension: 75" (L) X 34"(W) X 66"(H)
- * Strides: 22" strides.
- * Flywheel: Electro-magnetic precision balanced.
- * Power: Self-generated power system.
- * User Weight: 160 Kgs.





Aerofit Commercial Cross Trainer [AF 980 ARC]

Highlights

- Brand:Aerofit
- Type:Elliptical Cross Trainer
- Stride Length:24" natural strides.
- Strides:24" natural strides
- Product Dimensions:8.9 x 48.3 x 3.6 cm





AF 155 EL Elliptical Cross Trainer

Specifications

- Dimension: 84" (L) X 30"(W) X 69"(H.)
- Stride: 3 Level manual Stride Adjustable.
- Resistance: 24 Levels Of Magnetic Resistance.
- Fly Wheel: 10 Kgs precision balanced.
- User Weight: Max User Weight: 150 Kgs





AF 166 R Recumbent Bike

Specifications

- Dimension: 69"(L) X 25"(W) X 55"(H)
- Resistance Level: 15 Levels.
- Fly Wheel: 9 Kgs precision balanced.
- User Weight: 200 Kgs.



AF 162R Recumbent Bike

Specifications

- Dimension: 66" (L) X 26" (W) X 56" (H)
- Maximum Watt: 300 Watts.
- Resistance Level: 24 Levels.
- Power: 12 Volt DC adapter
- Programs: 12 pre-set programs – 1 Manual, Personal Watt Body Fat HRC
- Fly Wheel: 7. Kgs
- Display: LCD
- Speaker: In-built speakers/USB
- Seat Adjustable: 12 Level
- Fan. Available
- User Weight: 150 kgs



AF 261R Recumbent Bike

Specifications

- Dimension: 64"(L) X 26"(W) X 45"(H)
- Maximum Watt: 350 Watts.
- Resistance Level: 32 Levels.
- Resistance System: Electro-Magnetic resistance.
- Power: Self generated power system.
- Programs: 3 Preset Programs (P1 to P3), 1 manual , 3 User programs & time, distance & calories can be set as per user requirement
- Display: LED display with computerized console.
- Crank Assembly: 3 Pieces crank assembly.
- User Weight: 120 Kgs.



AF 161R Recumbent Bike

Specifications

- Dimension: 66" (L) X 26" (W) X 56" (H)
- Maximum Watt: 300 Watts.
- Resistance Level: 24 Levels.
- Power: 12 Volt DC adapter
- Programs: 12 pre-set programs – 1 Manual, Personal Watt Body Fat HRC
- Fly Wheel: 7. Kgs
- Display: LCD
- Speaker: In-built speakers/USB
- Seat Adjustable: 12 Level
- Fan. Available
- User Weight: 150 kgs



AF 178U Upright Bike

Specifications

- Dimension: 49" (L) X 24"(W) X 61"(H)
- Resistance Level: 15 Levels.
- Fly Wheel: 9 Kgs precision balanced.
- User Weight: 180 Kgs.



AF 980 U Upright Bike – (SO)

Specifications:

- Dimension: 44" (L) X 24"(W) X 53"(H)
- Maximum Watt: 600 Watts.
- Resistance Level: 16 Levels.
- Resistance System: Electro-Magnetic resistance.
- Power: Self generated power system.
- Programs: 17 Programs – 12 preset (P1 to P12) 1 manual, 1user, 4 HRC (55%, 75%, 90%, TRG).
- Fly Wheel: Elctro-magnetic fly wheel precision balanced.
- Display: LCD, blue backlight and computerized console.
- Crank Assembly: 3 Pieces crank assembly.
- User Weight: 180 Kgs



AF 177 U Upright Bike – (SO)

Specifications

- Dimension: 44" (L) X 22"(W) X 59"(H)
- Resistance Level: 16 Levels.
- Drive System: Centre design drive, super silent poly-V belt-driven.
- User Weight: 180 Kgs.





AF 175U Upright Bike

Specifications

- Dimension: 44" (L) X 25" (W) X 60" (H)
- Maximum Watt: 300 Watts.
- Resistance Level: 24 Levels.
- Resistance System: Electro-Magnetic resistance.
- Power: 12 Volts DC adapter
- Programs: 12 pre-set programs – 1 Manual, Personal Watt Body Fat HRC,
- Fly Wheel: 7.52 Kgs.
- Display: LCD
- Fan. Available
- Speaker: In-built speakers/USB
- User Weight: 150 kgs



AF 192 Spin Bike

Specifications

- Dimension : 52" (L) x 25"(W) x 50"(H)
- Spin Wheel : 17 Kgs high inertia spin wheel.
- Resistance Level : Pad breaking system with infinitely adjustable breaking power.
- Resistance System : Adjustable resistance .
“+” “-” tension control
- Drive System : Centre design drive, Smooth, quiet belt drive mechanism.
- Seat : Horizontally and vertically adjustable saddle with quick release.
- Crank Assembly :3 Pieces crank assembly with increased strength provides dependable performance for every rider.
- User Weight : 200 Kgs.



AF 194 Spin Bike

Specifications

- Dimension: 48" (L) x 24"(W) x 45"(H)
- Spin Wheel: 16 Kgs high inertia spin wheel.
- Resistance System: Adjustable magnetic braking system.
- User Weight: 150 Kgs.






AF 7055 Spin Bike

Specifications

- Dimension : 46" (L) X 21"(W) X 44"(H)
- Spin Wheel: 15.5 Kgs high inertia spin wheel.
- Resistance Level: Pad-breaking system with infinitely adjustable braking power.
- Resistance System: Adjustable resistance. "+" "-" tension control

OUR CUSTOMERS



GST NO.27AAHCT8059N1ZI



TEKNIKS[®]
FITNESS

International Fitness Equipment Company



THANK YOU!

Tekniks Fitness Equipment Pvt. Ltd.

Address : Level 3, Fortaleza Complex , Kalyani Nagar, Pune , Maharashtra , INDIA -411006

+91-0-7373485656 www.teknikfitness.com sales@teknikfitness.com



facebook